LANDCRUISER 300

ΤΟΥΟΤΑ

GX: GXL, VX,	GX: 1687mm ¹ (VX, Sahara, Sahara ZX, GR Sport: 1667mm ¹ 2000m ¹ (with snorkel) Sahara ZX: 1980mm ¹ GR Sport: 1990mm ¹	ZX: 24°,1	GX, GXL, VX	50mm ¹ , Sahara: 4980mm ¹			R Sport model shown		
MECHANICA	L SPECIFICATIONS	GX	GXL	VX	SAHARA	SAHARA ZX	GR SPORT		
ENGINE	Engine description			3.3L V6 twin	turbo diesel				
	Displacement (cm³)			334	46				
	Maximum power (kW/rpm)	227@4000							
	Maximum torque (Nm/rpm)			700@160	00-2600				
	Valve mechanism			24-valve DOH	C, chain drive				
	Fuel system	Fuel injection							
	Bore x stroke (mm)	86.0 x 96.0							
	Compression ratio (:1)	15.4							
TRANSMISSION	Transmission		10-spe	ed automatic transmis	sion with manual shift	mode			
	Number of ratios	10							
	Ratios (:1)	1st 4.923, 2nd 3.257, 3rd 2.349, 4th 1.944, 5th 1.532, 6th 1.193, 7th 1.000, 8th 0.801, 9th 0.661, 10th 0.613, Reverse 4.307							
	Differential ratio (rear) (:1)	3.307							
	Driveline	4WD							
FUEL	Fuel type			Die	sel				
	Fuel economy ² (L/100km)	Combined: 8.9, Extra Urban: 7.6, Urban 11.3							
	Fuel capacity (L)	110L fuel tank capacity (80L main and 30L sub-tank)							
	Diesel Particulate Filter (forced burn off) switch	•	•	•	•	•	•		
STEERING	Steering operation	Rack & pinion							
	Power steering system	Integral							
	Turning circle – kerb to kerb (m)	11.8							
BRAKES	Front	Ventilated disc brake with fixed caliper 4-cylinder							
	Rear	Ventilated disc brake with floating caliper 1-cylinder							
SUSPENSION	Front	Double wishbone / independent suspension							
	Rear	4-link rigid (with lateral control arm)							
DIMENSIONS (APPROXIMATE)	Length ¹ (mm)	4980	4980	4980	4980	5015	4995		
	Width ¹ (mm)	2000	1980	1980	1980	1980	1990		
	Height ¹ (mm)	1950	1950	1950	1950	1950	1950		
WEIGHTS (APPROXIMATE)	Kerb weight ¹ (kg)	2495	2580	2630	2630	2610	2630		
	Gross Vehicle Mass ¹ (GVM) (kg)	3280	3280	3280	3280	3280	3280		
	Gross Combined Mass ¹ (GCM) (kg)	6750	6750	6750	6750	6750	6750		

LANDCRUIS	ER 300 MODEL	GX	GXL	vx	SAHARA	SAHARA ZX	GR SPORT
TOWING	With trailer brakes ³ (kg)	3500	3500	3500	3500	3500	3500
CAPACITY	Without trailer brakes ³ (kg)	750	750	750	750	750	750
SEATING	Capacity	5	7	7	7	5	5
	60/40 folding 2nd row seats	•	•				
	40/20/40 folding 2nd row seats			•	•	•	•
	3rd row seating		•	•	•		
	Power-folding 3rd row				•		
	8-way power adjustment for driver and front passenger seats			•	•	•	•
	Driver's seat power lumbar adjustment			•	•	•	•
	Heated and ventilated driver and front passenger seats			•	•	•	•
	Heated and ventilated 2nd row outer seats				•	•	•
	Driver's seat memory – 3 memory settings				•	•	•
WHEELS AND TYRES	Wheels	17" steel wheels	18" alloy wheels	18" premium alloy wheels	18" premium alloy wheels	20" alloy wheels	18" alloy wheels - black
	Tyres	245/75R17	265/65R18	265/65R18	265/65R18	265/55R20	265/65R18
EXTERIOR	LED headlamps with manual levelling	•	•				
	Projector Bi-LED headlamps with auto-levelling and headlamp washers			•	•	•	•
	LED DRLs, front turn signals and tail lights	•	•	•	•	•	•
	LED rear turn signals			•	•	•	•
	LED front fog lamps		•	•	•	•	•
	Sequential turn signals – front and rear				•	•	•
	Puddle lamps			•	•	•	•
	Side mirror indicators	•	•	•	•	•	•
	Chrome-accented exterior door mirrors and door handles				•	•	
	Auto-dimming and tilting, heated exterior door mirrors		•	•	•	•	•
	Rear privacy glass		•	•	•	•	•
	Rear spoiler	•	•	•	•	•	•
	Unique side step design integrated with lower door moulding					•	
	Illuminated side steps					•	
	Aluminium side steps		•				
	Premium side steps			•	•		•
	Unique front and rear lower bumper design and wheel arch mouldings					•	
	Unique front and rear lower bumper design and Black wheel arch mouldings						•
	Premium grille			•	•	•	
	Unique Black gloss mesh grille with White matte Toyota lettering						•
	Front door scuff plate ornamentation					•	•
	Chrome window mouldings			•	•	•	
	Painted lower door mouldings Black lower door mouldings, outer mirror covers, door handles, window		•	•	•	•	•
	mouldings and LandCruiser logo						•
	GR logo on grille and front doors						•
	Lift-up back door	•	•	•			
	Power back door				•	•	•
	Hands-free back door with kick sensor					•	
	Tilt and slide moonroof			•	•	•	•
	Roof rails		•	•	•	•	•
	Mudguards – front	•	•	•	•	•	•
	Mudguards – rear	•	•	•	•		
	Unique rear mudguards					•	•
	Snorkel	•					

and agvine cyclist defection, Active Cruise Control (alt-speed, Automatic High Beam, Lane Departure Alert with brake to steer and Road Sign Assist (speed signs only) Beam is reguine with Adaptive High Beam System Beam is reg with Adaptive High Beam System Lane Trace Assist with steering wheel vibration • • • • Anti-lock Braking System (ABS) and Brake Assist (BA) • • • • • Blind Spot Monitor (BSM) • • • • • • • Rear Cross Traffic Alert (RCTA) • </th <th>LANDCRUISE</th> <th>ER 300 MODEL</th> <th>GX</th> <th>GXL</th> <th>vx</th> <th>SAHARA</th> <th>SAHARA ZX</th> <th>GR SPORT</th>	LANDCRUISE	ER 300 MODEL	GX	GXL	vx	SAHARA	SAHARA ZX	GR SPORT
International state International state International state International state International state Name and state mignation International state International state International state International state Name and state mignation International state International state International state International state Name and state International state International state International state International state Name and state International state International state International state International state Name and state International state International state International state International state Name and state International state International state International state International state Name and state International state International state International state International state Name and state International state International state International state International state Name and state International state International state International state Internatinterana state Name	INTERIOR	Fabric seats	•	•				
International state Internatin state Internatin state		Synthetic seats			•			
Network Note of some of synthetic marked in the source of source o		*				•	•	•
Intellis and overher hum ··· <td>Woodgrain-look and synthetic</td> <td></td> <td></td> <td>•</td> <td>•</td> <td></td> <td></td>		Woodgrain-look and synthetic			•	•		
Independence of the second of the s					•	•	•	•
Network Network Network Network Network Network		Power adjustable steering wheel			•	•	•	•
Indecident of any signature Image: signature Image: signature Image: signature Lefter accertal para shill knob Image: signature Image:							•	•
Index Index Index Index Index Index Hadgen index Index Index <td></td> <td>GR logo on steering wheel, front seat headrests and smart start engine button</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td>		GR logo on steering wheel, front seat headrests and smart start engine button						•
Halagen interior lamp ··· ··· ··· ··· ··· Lifb front interior lamp including ear LED matching lamp. ···		Heated steering wheel				•	•	•
Id: Brant induction of the second o		Leather accented gear shift knob			•	•	•	•
Interpretating of the second		Halogen interior lamp	•					
<table-row></table-row>		LED front interior lamp		•				
ID door country lumps					٠	•	•	•
Rear looteed illuminated entry lighting Image: mathematical entry lighting		Halogen door courtesy lamps		•				
Imministed winity minors Imministed winity minors Imministed winity minors Imministed winity minors Addo-dimning listing rearder minor Imministed winity minors Imministed winity minors Imministed winity minors Carpetial floor Imministed winity minors Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning listing rearder Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning listing rearder Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning listing rearder Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning winity minors Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning winity minors Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning winity minors Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning winity minors Imministed winity minors Imministed winity minors Imministed winity minors Advo-dimning winity minors Imministed winity minors Immi		LED door courtesy lamps			•	•	•	•
Adx-dimming interior rear were minor Image: method set of the set of t		Rear footwell illuminated entry lighting				•	•	•
Wnyl floor Number Numer Nume		Illuminated vanity mirrors		•	•	•	•	•
Wnyl floor Number Numer Nume		Auto-dimming interior rear view mirror		•	•	•	•	•
Capated floor Capated			•					
Ill weaker nober nober nober notes -front capet floor mats - front and near Internet (Control Section Control Section Control Control Section Control Section Control Net (Control Control Section Control Section Control Section Control Section Control Section Control Section Control Section Control Section Control Section Control Section Section Control Section Sec				•	•	•	•	•
IndexIndexIndexIndexIndexIndexIndexCorpelforationationIndexIndexIndexIndexIndexIndexIndexStatumantsIndex selectIndexIndexIndexIndexIndexIndexIndexIndex developedIndex </td <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		-						
NATIONARY NOW PROLE3 drive mode select			•	•				
AND CONTROLS 5 drive mode select Image I		Carpet floor mats – front and rear			•	•	•	•
SoftwareSoftwar		3 drive mode select	•	•	•	•		
2.cone auto climate control I.o. I.o. <t< td=""><td></td><td>5 drive mode select</td><td></td><td></td><td></td><td></td><td>•</td><td>•</td></t<>		5 drive mode select					•	•
4-cone auto climate control Image: control		Smart entry and start system	•	•	•	•	•	•
Rear auto cooler Image: state st		2-zone auto climate control	•	•				
Electronic Park Brake Image: state of the s		4-zone auto climate control			•	•	•	•
One-touch power windows (all doors)Image: solution of the solution of		Rear auto cooler		•				
Remote power windows Image: state stat		Electronic Park Brake	•	•	•	•	•	•
Variable intermittent wipers Image: Note of the second secon		One-touch power windows (all doors)	•	•	•	•	•	•
Variable intermittent wipers Image: Note of the second secon		Remote power windows			•	•	•	•
Automatic rain-sensing wipers Image: constraints of the constraints				•				
SAFETY Toyota Safety Sense - Including Pre- Collision Safety system with pedestrian and daytime cyclist detection, Active Cruise Control (all-speed), Automatic High Beam, Isreplaced with Adaptive High Beam System (Ales) and Brake Assist (BA) Automatic High Beam is replaced with Adaptive High Beam System Automatic High Beam is replaced with Adaptive High Beam System Anti-lock Braking System (ABS) and Brake Assist (BA) Image: Construction of the system Meel vibration Image: Construction of the system Meel vibrati					•	•	•	•
Collision Safety system with pedestrian and daytime cyclist detection, Active Cruise Control (alt-speed), Automatic High Beam is replaced with Adaptive High Beam SystemAutomatic High Beam SystemAutomatic High Beam is replaced with Adaptive High Beam SystemAutomatic High Beam SystemAutomatic High Beam SystemAutomatic High Bea	SAFETY					-	-	
wheel vibrationwheel vibratio	SALLI	Collision Safety system with pedestrian and daytime cyclist detection, Active Cruise Control (all-speed), Automatic High Beam, Lane Departure Alert with brake to steer and Road Sign Assist	•	•	•	•	Beam is replaced with Adaptive	Automatic High Beam is replaced with Adaptive High Beam System
Brake Assist (BA)Image: Construction of the second of the sec					•	•	•	•
Rear Cross Traffic Alert (RCTA)·· <th< td=""><td></td><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></th<>			•	•	•	•	•	•
Dusk-sensing auto headlamps············Adaptive High Beam System (AHS)·· <t< td=""><td></td><td>Blind Spot Monitor (BSM)</td><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>		Blind Spot Monitor (BSM)		•	•	•	•	•
Adaptive High Beam System (AHS)Image: Constraint of the system (AHS)Image: Constraint of the system (AHS)Image: Constraint of the system (AHS)Reversing camera•• <t< td=""><td></td><td>Rear Cross Traffic Alert (RCTA)</td><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>		Rear Cross Traffic Alert (RCTA)		•	•	•	•	•
Reversing camera·····Parking sensors - front and rear······Parking sensors - front and rear········Back Guide Monitor·· <td< td=""><td></td><td>Dusk-sensing auto headlamps</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></td<>		Dusk-sensing auto headlamps	•	•	•	•	•	•
Parking sensors - front and rearImage: constraint of the sensor sector of the sector of the sensor sector sector of the sensor sector sect		Adaptive High Beam System (AHS)					•	•
Back Guide MonitorImage: ControlImage: ControlIm		Reversing camera	•	•	•	•	•	•
Trailer Sway Control•••••Trailer wiring harness connection (Trailer harness - 7 pin socket sold separately)••• </td <td>Parking sensors – front and rear</td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		Parking sensors – front and rear		•	•	•	•	•
Trailer wiring harness connection (Trailer harness - 7 pin socket sold separately)		Back Guide Monitor		•	•	•	•	•
(Trailer harness - 7 pin socket sold separately)Image: Sold separatelyImage: Sold separately10 SRS airbagsImage: Sold separatelyImage: Sold separately3rd row curtain airbagsImage: Sold separatelyImage: Sold separatelyISOFIX anchor points - x2Image: Sold separatelyImage: Sold separatelyFront and 2nd row occupant detectionImage: Sold separatelyImage: Sold separately		Trailer Sway Control	•	•	•	•	•	•
10 SRS airbags••••••3rd row curtain airbags••••••ISOFIX anchor points – x2••••••Front and 2nd row occupant detection••••••		(Trailer harness - 7 pin socket	•	•	•	•	•	•
3rd row curtain airbags ···			•	•	•	•	•	•
Front and 2nd row occupant detection								
		ISOFIX anchor points - x2	•	•	•	•	•	•
3rd row occupant detection		Front and 2nd row occupant detection	•	•	•	•	•	•
		3rd row occupant detection		•	•	•		
Rear parking support brake • • • •		Rear parking support brake			•	•	•	•

LANDCRUISER 300 MODEL		GX	GXL	vx	SAHARA	SAHARA ZX	GR SPORT	
OFF-ROAD CAPABILITIES	Electronic-Kinetic Dynamic Suspension System (E-KDSS)						•	
	Front and rear differential locks						•	
	Adaptive Variable Suspension (AVS)					•	•	
	Rear torque-sensing Limited Slip Differential (LSD)					•		
	Crawl control	•	•	•	•	•	•	
	Downhill Assist Control (DAC)	•	•	•	•	•	•	
	Hill-start Assist Control (HAC)	•	•	•	•	•	•	
	Multi-Terrain Select (MTS)		•	•	•	•	•	
	4-camera Multi-Terrain Monitor (MTM) with Panoramic View Monitor			•	•	•	•	
	Vehicle Dynamics Integrated Management (VDIM)			•	•	•	•	
	Active Traction Control (A-TRC)	•	•	•	•	•	•	
STORAGE	6 cup holders	•	•					
	8 cup holders			•	•	•	•	
	Overhead storage for glasses	•	•	•	•	•	•	
	2nd row centre armrest			•	•	•	•	
	Cool box				•	•	•	
	Driver and passenger seat back pockets			•			•	
	Driver and passenger seat back pockets - hard backed				•	•		
MULTIMEDIA	9" colour touchscreen display	•	•					
	12.3" colour touchscreen display with CD/DVD input			•	•	•	•	
	4.2" Multi Informational Display (MID)	•	•					
	7" Multi Informational Display (MID)			•	•	•	•	
	Apple CarPlay ^{®4,5} and Android Auto ^{™,4,6} (speak to your Dealer about device compatibility)	•	•		•	•	•	
	Steering wheel controls with audio, MID, voice recognition and telephone controls	•	•	•	•	•	•	
	6 speakers	•	•					
	10 speakers			•				
	14-speaker JBL® ⁷ premium audio				•	•	•	
	Satellite navigation ⁸			•	•	•	•	
	Digital radio	•	•	•	•	•	•	
	USB audio input ⁹ – x1 USB charging ports – x5	•	•	•	•	•	•	
	(x1 front and x4 rear) USB charging ports – x3 (x1 front and x2 rear)					•	•	
	12V accessory input – front and rear	•	•	•	•	•	•	
	220V accessory input	•	•	•	•	•	•	
	Wireless phone charger		•	•	•	•	•	
	Bluetooth® ¹⁰ connectivity	•	•	•	•	•	•	
	Head-Up Display				•	•	•	
	Dual rear seat entertainment (headphones not included)				•	•		
ΤΟΥΟΤΑ	Toyota Connected Services ¹¹	3 years complimentary access ¹¹						
CONNECTED SERVICES ¹¹	Stolen Vehicle Tracking ¹² (SVT)	•	•	•	•	•	•	
	Automatic Collision Notification ¹³ (ACN)	•	•	•	•	•	•	
	SOS Emergency Call ¹⁴ (SOS)	•	•	•	•	•	•	
SECURITY	Alarm system	•	•	•	•	•	•	

1

Weights/mass/volumes/dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories, towing or otherwise relying on this value. Achieved in test conditions for comparison purposes only. Actual fuel consumption varies depending on driving conditions/style, vehicle condition, load and options/accessories fitted. Source: ADR81/02 combined/urban/extra urban (L/100km) for auto models. 2

3 Towing capacity subject to regulatory requirements, tow bar and vehicle design and towing

Iowing capacity subject to regulatory requirements, tow bar and venice design and towing equipment limitations. Ask your Dealer for Toyota Genuine tow bar capacity and availability details. Requires compatible device, USB connection, mobile data, network reception and GPS signal. Mobile usage at user's cost. Apps subject to change. For details see **toyota.com.au/connected** CarPlay is a trademark of Apple, Inc. registered in the U.S. and other countries. Android Auto™ is a trademark of Google LLC. Product and company names are trademarks of their respective owners. 4

5

8 Coverage varies based on vehicle location.

Compatibility and functionality varies depending on device. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Compatibility and functionality

10

 varies depending on device.
 Complimentary period ends 3 years from delivery date. Fees and charges may apply after expiry of complimentary period. Not available outside Australia or if services are disabled or terminated. Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage and other factors outside Toyota's control which can limit the ability or functionality of the system.

Check your Owner's Manual for explanation of limitations. Please drive safely

25 SVT – Not available outside Australia or if service is disabled or terminated. Dependent on sufficient battery power, 3G/4G enabled DCM, GPS signal strength, mobile network coverage. operational related components and other factors outside Toyota's control which can limit the ability or functionality of the system. Guest required to obtain Police report. Vehicle location information, if available, only provided to Police. Vehicle recovery not guaranteed.

Information, in available, only provided to Force. Venice recovery not guaranteed.
For details, visit toyota.com.au/connected/faq-support
ACN – Driver assist feature only. Not a substitute for safe driving practices. Not available outside Australia or if service is disabled or terminated. Only activates if vehicle's DCM detects airbag deployment or an impact sensor notification. Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage, operational related components and other factors outside Toyota's control which can limit the ability or functionality of the system. Check your Owner's Maxwell for surfacement of the system.

 Manual for explanation of limitations. Please drive safely.
 SOS – Driver assist feature only. Not a substitute for safe driving practices. Not available outside Australia or if service is disabled or terminated. Only operates if vehicle's SOS button is pressed. Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage, operational related components and other factors outside Toyota's control which can limit the ability or functionality of the system. Check your Owner's Manual for explanation of limitations. Please drive safely.

IMPORTANT NOTICE - PLEASE READ: Toyota Australia uses its best endeavours to ensure material is accurate at the time of publishing. All information must be confirmed with your Toyota Dealer at the time of IMPORTANT NOTICE - PLEASE READ: loyota Australia uses its best endeavours to ensure material is accurate at the time of publishing. All information must be continued with your loyota beater at the time of ordering, as specifications, applicability and availability may change over time. Colours depicted are a guide only and may vary from actual colours due to the printing/display process. Toyota Australia reserves the right to change and/or discontinue, without notice, models, prices, colours, materials, equipment, specifications. To the extent permitted by law, Toyota Australia will not be liable for any damage or loss incurred from relying on the information and images contained in this material. Distributed nationally (other than in Western Australia) by Toyota Australia imited ABN 64 009 686 097. Material distributed in Western Australia by Carporation Australia interes regarding (and will not be liable for) accuracy of materials distributed in Western Australia as no warranties regarding (and will not be liable for) accuracy of materials distributed in Western Australia. PROOF HQ: T2021-017227. GTO-005480. VERSION: OCTOBER 2021.