



MY25 GMC YUKON DENALI FEATURES & SPECIFICATIONS (AU)

GMC





EQUIPMENT AND FEATURES

YUKON DENALI

PERFORMANCE & CAPABILITY

6.2L EcoTec3 V8 with Dynamic Fuel Management	•
Maximum Power (kW)	313kW
Maximum Torque (Nm)	624Nm
10 Speed Automatic Transmission	•
Electronic Precision Shift	•
Automatic Stop/Start with disable switch	•
Fuel Tank	91L
Capless Fuel Filler	•
2 Speed Transfer Case with Push Button Controls (4-button control 2WD HI, 4WD Auto, 4WD HI, 4WD LO)	•
3.23 rear axle ratio	•
4-wheel Antilock Disc Brakes with Brake Pad Wear Indicator	•
Active Response 4WD System with electronic limited-slip differential	•
Air Ride Adaptive Suspension	•
Dual system exhaust with polished stainless steel tips	•
Hill Start Assist	•
Magnetic Ride Control	•
StabiliTrak® Electronic Stability Control System	•

SAFETY & TECHNOLOGY

360 Degree HD Camera w/ up to 11 Camera views^	•
6 Airbags - Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag and illuminates a status light that indicates whether the airbag is on or off	•
Electrical theft-deterrent system	•
Enhanced Automatic Emergency Braking	•
Following Distance Indicator	•
Forward Collision Alert	•
Front & Rear Park Assist	•
Front Pedestrian Braking	•
Head-up Display	•
Hill Start Assist	•
Hitch Guidance with Hitch View	•
IntelliBeam High Beam Assist	•
Lane Change Alert with Side Blind Alert	•
Lane Keep Assist with Lane Departure Warning	•
LED Daytime Running Lamps	•



YUKON DENALI

SAFETY & TECHNOLOGY (continued)

Rear Camera Mirror	•
Rear Cross Traffic Alert	•
Rear Pedestrian Alert	•
Safety Alert Seat	•
StabiliTrak® Electronic Stability Control System w/ Traction Control	•
Trailer Sway Control	•
Tyre Pressure Monitoring System w/ Tyre Fill Alert (does not monitor spare tyre)	•

EXTERIOR

24" All-season, blackwall tyres	•
24" Selective Machined and Painted Pearl Nickel Wheels	•
Acoustic laminated glass	•
Badging	Denali
Bodyside moldings	Chrome
Deep tinted glass (rear windows)	•
Door handles	Chrome, body-colour strip
Galvano chrome bodyside moldings	•
Hands-free power liftgate	•
Heated power outside mirrors	Body Colour
IntelliBeam	•
LED fog lamps	•
LED Headlamps with Daytime Running Lamps	•
LED Tail Lamps	•
Mirror Caps	Body Colour
Panoramic power sunroof	•
Power-retractable side steps	•
Rainsense automatic wipers	•
Rear Camera Mirror Washer	•
Rear intermittent wiper	•
Rear Mudflaps	•
Roof-mounted side rails	•
Upper active aero shutters in front fascia	•



YUKON DENALI

INTERIOR / CABIN COMFORT

Adaptive Cruise Control	•
Adjustable Steering Column	Power Tilt/Telescoping
Apple CarPlay & Android Auto*	Wireless
Bluetooth Connectivity	•
Bose® 14-speaker surround with CenterPoint® audio system	•
Carpeted Floor Covering	•
Carpeted Floor Mats	•
Child Seat Anchor Points	3
Cruise Control	•
Driver and front passenger visors with illuminated mirrors	•
Driver Seat Memory	•
Driver's Instrument Cluster Display	11" Diagonal Digital Driver Information Centre with high contrast display
Tri-zone Automatic Climate Control	•
Floor Mats - Front & Rear	Carpet
Front & Rear USB Ports	•
Front Bucket Seats	•
GMC Premium Infotainment System	16.8" Diagonal Colour Touch-screen
Head-Up Display	15" Diagonal multicolour
Heated Leather Steering Wheel	•
Heated Seats - Front	•
Heated Seats - Rear	•
Ventilated Seats - Front	•
Keyless Open & Start	•
Power Driver Seat Adjustment	12-Way
Power Front Passenger Seat Adjustment	12-Way
Panoramic Power Sunroof, dual-pane, tilt-sliding, with express open/close and power sunshade	•
Power Windows with driver express-up/-down and front passenger and rear windows express-down	•
Rain-sensing Wipers	•
Rear Air Vents	•
Rear Camera Mirror	•
Rear Seats - 60/40 split-folding rear bench seat with Storage Package	•
Rear Seat Media System (with two GMC branded wireless headphones)	Dual 12.6" diagonal colour-touch LCD HD rear screens
Rear Seat Reminder	•



YUKON DENALI

INTERIOR / CABIN COMFORT (continued)

Seats	Jet Black Perforated Leather
Seating Capacity	8
Bright front and rear sill plates with Denali logo	•
Steering Wheel Mounted Controls	•
Wireless Phone Charging	•

WEIGHTS & TOWING

Rear View Camera w/ Hitch Guidance & View	•
Tow Bar (Not Including Tow ball and Tongue)	•
12 Pin Wiring Harness	•
Electric Trailer Brake Controller	•

TECHNICAL SPECIFICATIONS**ENGINE & MECHANICAL**

Engine	6.2L EcoTech3 V8 w/ Dynamic Fuel Management
Displacement (cc)	6.2 Litres
Cylinders	V8
Induction	Natural
Maximum Power (kW)	313kW
Maximum Torque (Nm)	624Nm
Fuel Economy (L/100km) Combined	12.8

TRANSMISSION

Type	10 Speed
Gear ratios:	
1st	4.696
2nd	2.985
3rd	2.156
4th	1.779
5th	1.526
6th	1.278
7th	1
8th	0.854
9th	0.689
10th	0.636
Reverse	4.866
Final Drive Ratio	3.23
2 Speed Transfer Case Reduction Ratio	2.72:1



YUKON DENALI

BRAKES

Type	Four-wheel Disc with ABS; vented front and rear Duralife rotors
Front rotors (mm)	343
Rear rotors (mm)	345

SUSPENSION

Front Suspension	Air Ride Adaptive 4-corner Suspension
Rear Suspension	

WHEELS & TYRES

Wheels	24" selective machined and painted Pearl Nickel Wheels
Tyres	Bridgestone All-Season, Blackwall Tires
Tyre Size	285/40R24
Spare Tyres	Maxxis Bravo HT-750
Spare Tyre Size	265/70R17

WEIGHTS & TOWING

Maximum Unbraked Towing Capacity (kg)	750
Maximum Braked Towing Capacity (kg) (using 50mm ball)	2720
Maximum Braked Towing Capacity (kg) (using 70mm ball)	2720
Maximum Braked Towing Capacity (kg) (using Weight Distribution Hitch - 50mm ball)	3500
Maximum Braked Towing Capacity (kg) (using Weight Distribution Hitch - 70mm ball)	3628
Max Towball Down-load (50mm ball)	272
Max Towball Down-load (70mm ball)	272
Max Towball Down-load (using Weight Distribution Hitch - 50mm ball)	350
Max Towball Down-load (using Weight Distribution Hitch - 70mm ball)	363
Tare Mass (kg)	2748
Kerb Weight (kg)	2813
Gross Vehicle Mass (kg)	3447
Gross Combined Mass (kg)	6577
Front Axle Maximum Capacity (kg)	1678
Rear Axle Maximum Capacity (kg)	1950



YUKON DENALI

DIMENSIONS & CAPACITIES

Fuel Tank	91L
Front Head room (mm)	1025
Second Row Head room (mm)	952
Third Row Head room (mm)	970
Front Leg room (mm)	1131
Second Row Leg room (mm)	1068
Third Row Leg room (mm)	886
Front Shoulder room (mm)	1664
Second Row Shoulder room (mm)	1643
Third Row Shoulder room (mm)	1592
Front Hip Room (mm)	1562
Second Row Hip Room (mm)	1558
Third Row Hip Room (mm)	1255
Seating capacity	8
Max Cargo Volume (L) (rear seats folded)	3480
Ground Clearance (At Kerb Weight) - Approach Angle (degrees)	24.8
Ground Clearance (At Kerb Weight) - Breakover Angle (degrees)	22.5
Ground Clearance (At Kerb Weight) - Departure Angle (degrees)	20.5
Ground Clearance (At Kerb Weight) - Running Ground Clearance (mm)	205
Overall Body Width (mm)	2378
Overall Body Width w/o mirrors (mm)	2058
Overall Height (mm)	1943
Overall Length (mm)	5337
Track - Front (mm)	1737
Track - Rear (mm)	1730
Turning Circle - Kerb to Kerb (m)	12.4
Wheelbase (mm)	3071

WARRANTY/SERVICE

Warranty	3 years/100,000km (whichever occurs first)
Roadside Assistance	3 years Roadside Ultra Assistance
Service Intervals	12 months/12,000km (whichever occurs first)



[^] Some camera views require available Accessory camera and installation. Not compatible with all trailers.

** Requires compatible iPhone or the Android Auto app on Google Play and a compatible Android smartphone. Data plan rates apply.*

Available accessory 50mm and 70mm Tow Ball hitch kits and weight distribution hitch kits sold separately.

GM does not give any warranty in relation to any information contained in this document and GM does not accept any liability for loss, damage or injury (whether directly or indirectly) arising as a result of any use of or reliance on, the information in this document or form or its contents unless otherwise required by law.

The above is a summary of Features and Specifications as of March 2025. GMSV uses its reasonable endeavours to ensure that the information contained in this document is accurate at the time of publishing. GMSV reserves the right to change and/or discontinue, without notice, for any features and specifications contained in this document.